Contact Info	Name:		RFMA #
SERTA TRADO	Address:		
WOCIATIO	Phone:	Email:	

Please list all ATA issued trapper ID's below for this RFMA

Sr. Licence Holder ID	Ptr. Licence Holder ID			

Please read instructions on page 6 before completing the logbook. Information from this form can be submitted online at http://atalogbook.ab-conservation.com/

TRAPLINE ACTIVITIES (includes prep, scouting, set/check, fur handling and cabin maintenance)

Estimated monthly hours spent on trapline activities												
Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total Hours

MARTEN HARVEST

Please provide harvest totals under each marten gender/age class (Unk = age class unknown)

If you did not set traps for marten, please mark zeros in the boxes

Unintentional catch (when a harvest occurred using a trap that was not specifically set for the species harvested) Data used to determine trap/set selectivity and efficacy ??? = I don't know/unknown

Please determine marten age class using the temporal muscles on the head (see diagram on page 5)

JuvMale	AdultMale	MaleUnk	JuvFemale	AdultFemale	FemaleUnk	Total	Number of these that were Unintentional	
Average nu	Average number of marten traps set							
Average nu	Average number of days marten traps were set							
1	•			E / COMMON / .		-	•	

QUOTA SPECIES HARVEST: Complete the following if you'd also like to contribute data on quota species.

If you did not set traps for a particular species, please mark zeros in the boxes. Traps can be counted more than once if they might catch more than one species (example: marten and fisher). Unintentional catch (when a harvest occurred using a trap that was not specifically set for the species harvested). ??? = I don't know/unknown

	C	ш		D
П	Э	п	С	П

JuvMale	AdultMale	MaleUnk	JuvFemale	AdultFemale	Femalel	Jnk	Total	Number of these that were Unintentional
Average nu	Average number of <u>fisher</u> traps set							
Average nu	umber of day	s <u>fisher</u> traps	were set					
_	•			/ COMMON / AB / DECREASING /	-		-	•

LYNX

JuvMale	AdultMale	MaleUnk	JuvFemale	AdultFemale	FemaleUnk	Total	Number of these that were Unintentional		
Average n	Average number of <u>lynx</u> traps/snares set								
Average n	umber of day	s <u>lynx</u> traps/	snares were so	et					
_	•			COMMON / ABU					

OTTER

Male	Female	Total	Number of these that were Unintentional
Average number of	<u>otter</u> traps set		
Average number of	days otter traps were set		
	, <u>——</u>		
		CE / COMMON / ABUNDANT / NG / DECREASING / STABLE /	

WOLVERINE

Male	Female	Total	Number of these that were Unintentional
Average number of y	wolverine traps set		
Average number of	days <u>wolverine</u> t raps were	set	
On my RFMA this ye	ar, I consider <u>wolverine</u> :	SCARCE / COMMON / ABUNDAI	NT / ??? (Circle best answer)
Over the past 3 yrs	wolverine have been: INCR	/ NATURALLY FULCTUATING / 222	

WOLF TRAPPING INFORMATION

This section can be used to report wolf harvest that is part of your regular trapping activity or for those participating in the ATA Wolf Management Program.

Only include information for wolves taken on your RFMA. Do not include harvest taken under a resident fur management licence or damage control licence. If you harvested wolves on more than one RFMA, please submit a separate logbook for each.

YES / NO

Did you participate in the ATA Wolf Management Program this year?

Number of wolv	ves caught this yea	r		
JuvMale	AdultMale	JuvFemale	AdultFemale	Total Wolf Harvest
I determined a	ge class of the wol	ves I harvested by:	BODY SIZE / TOOTH WE (Circle best answer)	EAR / ??? / NA / OTHER - explain
	ole. I didn't catch any v If traps/snares set	wolves this year. in total (all traps/s	nares in total)	
Average numb	er of <u>days</u> wolf tra	ps/snares were set	(total days)	
Number of bai	t sites set for wolv	es this year		
, .	3 yrs, <u>wolves</u> on m	•	RCE / COMMON / ABU	JNDANT / ??? (Circle best answer) CREASING / STABLE /
Do you have any trapping season v	•	o the ATA Wolf Mana	gement Program? (Ger	neral comments about your RFMA and

TRAPPER/RFMA BLACK BEAR HARVEST INFORMATION

This costion can be used	l to ronart the harvest of b	hlack hoar for those nar	rticipating in the ATA Manag	omont Drogram
THIS SECTION CAN BE USED	i to report the harvest of t	Diack Deal IOI tilose pai	LICIDALING III LIIE ATA MAINAS	ement Frogram.

Only include information for bears taken on your RFMA.

Did you harve	id you harvest (shoot) black bear this year?			YES / NO	
Number of bla	ick bears shot on yo	ur RFMA this year			
JuvMale	AdultMale	JuvFemale	AdultFemale	Total Black Bear Harvest	
	age class of the bea able. I didn't shoot any		DY SIZE / TOOTH WEAR (Circle best answer)	R / ??? / NA / OTHER - explain	
Total number	r of <u>days</u> spent hunt	ing black bear this y	ear		
Number of <u>ba</u>	ait sites set for bear	s this year			
This year, I co	onsider <u>black bears</u> (on my RFMA to be:	SCARCE / COMMON /	ABUNDANT / ??? (Circle best answ	ver)
•	t 3 yrs, <u>black bears c</u> JCTUATING / ???	on my RFMA appear	to be: INCREASING	DECREASING / STABLE /	
Do you have and trapping season	•	o the Bear Manageme	nt Program ? (General	comments about your RFMA ar	ıd

HARVEST REPORT for all other furbearers not included above

	Total Harvest
Badger	
Beaver	
Bobcat	
Coyote	
Fox	
Mink	
Muskrat	
Squirrel	
Weasel	

TRAPPER LOCAL KNOWLEDGE

Trappers can also provide valuable information on other species that they see on their traplines, which sheds light on the health of wildlife populations in general. Questions in this section may change from year to year.

Alberta Conservation Association is interested in where you think your trapline currently is in the snowshoe hare (rabbit) cycle. If you would like to share this information (optional), please answer the following two questions:

This year, I consider snowshoe hare on my RFMA to be: SCARCE / COMMON / ABUNDANT / ??? (Circle best answer)

I think hare numbers in my area are: NEAR THE PEAK / DECLINING / NEAR THE BOTTOM / INCREASING / ???

GENERAL COMMENTS:

General comments can include topics of interest such as weather, sign, disease, habitat change, other important wildlife, etc.	

INSTRUCTIONS


It is very important that the information you provide for this document is accurate and is completed the same way throughout the province.

- Be sure to only include furbearing animals taken on your RFMA. Do not include fur
 taken under a resident fur management licence or damage control licence on this form.
- **Only include one RFMA per form**. If you are trapping multiple RFMA's, you must fill out a separate log for each. Do your best to separate out your effort and catch by RFMA.
- Multiple partners working on the same RFMA can keep track of their own information, but only one RFMA form should be submitted for each RFMA. Please combine time, trapping effort and harvest success the best you can for the final form and make a note in General Comments.
- Please estimate the average number of traps set and for how many days traps were set on your RFMA. Trapper effort and harvest success can be used to determine relative abundance.


- If you set traps for a species but caught none, please record your trapper effort information and 0 caught. This is still useful information.
- Record the sex and age class information for each marten you harvest. We
 recommend estimating age class while you are skinning an animal. Skulls stored in a
 freezer may be more difficult to age than those that are fresh.
- Any reporting will only include grouped data (i.e., specific RFMA information will not be shared with AEP or ATA).

Please submit logbooks by July 15th of each year to http://atalogbook.ab-conservation.com. Submitting online is the best way to maintain confidentiality and it saves financial resources. If you can't submit online yourself, this might be a great opportunity to involve a younger family member in your trapping activities. If you'd prefer, you can submit paper copies to your ATA Local or the ATA office.

How to Determine Age Class using Marten Skulls



Are the muscles on top of skull widely separated from centre line? Is there a gap of at least 2 mm (thickness of a loonie or greater) between the 2 muscles at the rear of the skull, where the rounded part of the skull meets the neckline?



loonie

Adult Female
Muscles are near
centre line, taper and
join slightly at rear of
skull. The join can
become significant
along the centre line,
like an adult male